

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42	((pulse or waveform) adj1 shap \$5).ti. and (width near (adjust\$4 or short\$3 or length\$3 or predetermin\$4)) and @ad<="20031010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 10:47
L2	13	NEC and fukuda and (remote adj control).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 11:16
L3	1012	NEC and (remote adj control).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 11:16
L4	15	NEC and (remote adj control adj1 receiver).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 11:17
L5	534	sharp and sampl\$5 same (waveform or pulse) adj1 shap\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 11:24
L6	152	sharp and sampl\$5 same (waveform or pulse) adj1 shap\$5 and width and @ad<="20030412"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 11:25
L7	4	infrared same remote same (sampl \$4) same (waveform or pulse) adj1 shap\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 11:27
L8	475	infrared same (waveform or pulse) adj1 shap\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 11:28

L9	34	infrared same ((waveform or pulse) adj1 shap\$5) same (pulse near (width))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 11:28
L11	1	("20090041264").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2009/07/15 11:43
L12	2310	((pulse or waveform) near shap \$5) same width same (range or predetermin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 12:00
L13	197	((pulse or waveform) near shap \$5) same width same (range or predetermin\$3) same sampl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 12:00
L14	50	((pulse or waveform) near shap \$5) same width same (range or predetermin\$3) same sampl\$4 and @ad<="20030409"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 12:04
L15	1064	((pulse or waveform) near shap \$5) same width same (range or predetermin\$3) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 12:05
L16	183	((pulse or waveform) near shap \$5) same width same (range or predetermin\$3) same (length or short\$3) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 12:06
L17	7643	(pulse near width near (adjust\$4 or contro\$4 or chang\$4 or var\$5)) and shap\$5 and @ad<="20030409"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 12:28
L18	1150	(pulse near width near (adjust\$4 or contro\$4 or chang\$4 or var\$5)) same shap\$5 and @ad<="20030409"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 12:30
L19	102	(pulse near width near (adjust\$4 or contro\$4 or chang\$4 or var\$5)) same shap\$4 and ("375"/\$.ccls. or "348"/\$.ccls. or "370"/\$.ccls. or "455"/\$.ccls.) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 12:35
L20	24	(pulse near width near (adjust or shap\$4 or filter\$5)) with ((original or transmit\$5) adj1 (phase or pulse))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 13:44

L29	5620	samp1\$3 same ((pulse or waveform) adj (shap\$4))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:23
L30	280	samp1\$3 same ((pulse or waveform) adj (shap\$4)) same (pulse adj width)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:23
L31	181	samp1\$3 same ((pulse or waveform) adj (shap\$4)) same (pulse adj width) and @ad<="20040409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:24
L32	209	((pulse or waveform) adj1 shap\$4).ti. and (sampler or sampling)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:27
L33	142	((pulse or waveform) adj1 shap\$4).ti. and (sampler or sampling) and @ad<="20030409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:27
L34	5	((pulse or waveform) adj1 shap\$4).ti. and (sampler or sampling) and infrared and @ad<="20030409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:31
L35	1285	(sampler or sampling) with (waveform or pulse)adj shap\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:36
L36	37	(sampler or sampling) with ((waveform or pulse)adj shap\$4) with width	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:37
L37	131	diamond and honma	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:39
L38	21	diamond and honma and infrared	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:39
L39	6893	((infrared adj receiver)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:16

L40	64	(infrared adj receiver) same sampl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:16
L41	3	(infrared adj receiver) and sampl\$4 with (waveform or pulse) adj shap\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:19
L42	454	(pulse adj width) with (lower adj limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 16:00
L43	210	(set\$3 or adjust\$4 or control\$4) with (pulse adj width) with (lower adj limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 16:01
L44	152	(set\$3 or adjust\$4 or control\$4) with (pulse adj width) with (lower adj limit) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 16:01
S1	647	"375/326".CCLS	USPAT	OR	ON	2008/12/12 10:09
S2	2	"US 20060274872"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 10:10
S3	1308	"375/355".CCLS	US-PGPUB; USPAT	OR	ON	2008/12/12 10:10
S4	2	"375/355".CCLS. and (sampl\$5) and (fix\$3 adj1 pulse adj1 width)	US-PGPUB; USPAT	OR	ON	2008/12/12 10:15
S5	18	"375"/\$.ccls. and (sampl\$5) and (fix\$3 adj1 pulse adj1 width)	US-PGPUB; USPAT	OR	ON	2008/12/12 10:16
S6	182095	"375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls. and (sampl\$5) and (fix\$3 adj1 pulse adj1 width) and (fix\$3 adj1 pulse adj1 width) same (predetermin\$5)	US-PGPUB; USPAT	OR	ON	2008/12/12 11:22
S7	182095	"375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls. and (sampl\$5) and (fix\$3 adj1 pulse adj1 width) same (predetermin\$5)	US-PGPUB; USPAT	OR	ON	2008/12/12 11:22
S8	4	("375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls.) and (sampl\$5) and (fix\$3 adj1 pulse adj1 width) same (predetermin\$5)	US-PGPUB; USPAT	OR	ON	2008/12/12 11:22
S11	1	("375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "348"/\$.ccls.) and (fix adj1 pulse adj1 width)	US-PGPUB; USPAT	OR	ON	2008/12/12 11:28

S12	1	("375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "348"/\$.ccls.) and (fix adj1 pulse adj width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 11:28
S13	63	(fix adj1 pulse adj width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 11:29
S14	6268	("375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "348"/\$.ccls.) and (PWM or (pulse adj width adj modulat\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 11:40
S15	6	("375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "348"/\$.ccls.) and (PWM or (pulse adj width adj modulat\$5)) and compar\$5 near sampl\$5 with predeterm\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 11:46
S16	451	("375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "348"/\$.ccls.) and (fix\$3 adj pulse)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 11:47
S17	618	("375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "348"/\$.ccls.) and (fix\$3 adj width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 11:47
S18	313	("375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "348"/\$.ccls.) and (fix\$3 near pulse near width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 11:48
S20	8	("4767971" "5561354" "5714849" "5894203" "5917292" "5932977" "6034736" "6236436").FN. OR ("6788351").URFN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/12 11:58
S21	1162	("375"/\$.ccls. or "455"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "348"/\$.ccls.) and (fix\$3 near ((pulse adj width) or (tim\$3 adj period)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 12:06
S22	2	"US 20060274872"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:08
S23	1313	fix\$3 adj pulse adj width	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:25

S24	61	((fix\$3 adj pulse adj width) and shap\$5 and compar\$5 with (predetermin\$3 or predefin\$3) and sampl\$5	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:25
S25	92	((fix\$3 adj pulse adj width) and compar\$5 with (predetermin\$3 or predefin\$3) and sampl\$5	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:30
S26	1668	(waveform adj shap\$5).clm.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:31
S27	738	(TV and (waveform adj shap\$3))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:38
S28	213	(TV and (waveform adj shap\$3)) and sampling and compar\$5	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:38
S31	1523	sampling and ((waveform or pulse) adj shap\$5) same compar \$5	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:45
S32	33	sampling and ((waveform or pulse) adj shap\$5) same compar \$5 and((fix\$3 or constant\$3) near (pulse adj width))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:46
S33	488	((pulse adj width adj modulat\$5) or PWM) and ((waveform or pulse) adj shap\$5) same compar \$5	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:57
S34	334	((pulse adj width adj modulat\$5) or PWM) and ((waveform or pulse) adj shap\$5) same compar \$5 and @ad<="20030409"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 12:58
S35	10	((pulse adj width adj modulat\$5) or PWM) and ((waveform or pulse) adj shap\$5) same compar \$5 same sampling and @ad<="20030409"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 13:10
S36	274	(waveform or pulse) near shap\$5 same distort\$5 same (predetermin \$3 or predefin\$3)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/12 13:15
S37	11	((waveform\$3 or pulse\$3) adj (shap\$3)) same ((fix\$3 or constant \$2) near (pulse) adj (width or period)) same (sampl\$3 or oversampl\$3 or over\$2sampl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 17:00
S38	180	((waveform\$3 or pulse\$3) adj (shap\$3)) same ((fix\$3 or constant \$2) near (pulse) adj (width or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 17:01
S39	104	(pulse adj width adj modulat\$5) and sampling and (fix\$3 near pulse near (width or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 17:14

S40	0	((shap\$5) near ((fix\$3 or constant) adj pulse adj width) and ((pulse adj width adj modulat\$5) or PWM) and ((adjust\$3 or control\$3) near (pulse adj width)))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 17:30
S41	372	((fix\$3 or constant) adj pulse adj width) and ((pulse adj width adj modulat\$5) or PWM) and ((adjust\$3 or control\$3) near (pulse adj width))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 17:31
S42	144	((fix\$3 or constant) adj pulse adj width) and ((pulse adj width adj modulat\$5) or PWM) and ((adjust\$3 or control\$3) near (pulse adj width)) and (sampl\$3 or over\$2sampl\$5)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 17:37
S43	35	((fix\$3 or constant) adj pulse adj width) and ((adjust\$3 or control\$3) near (pulse adj width)) and (sampl\$3 or over\$2sampl\$5) and ((waveform or pulse or signal) near (shap\$5))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 17:41
S44	1	compar\$3 near ((fix\$3 or constant) near pulse adj width) with (control or adjust\$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 17:48
S45	893	((fix\$3 or constant) near pulse adj width) with (control or adjust\$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 17:48
S46	19	((fix\$3 or constant) near pulse adj width) with (control or adjust\$3) same sampling	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 17:48
S47	1476	sharp and (waveform adj shap\$5)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 17:49
S48	398	sharp and (waveform adj shap\$5) and sampling	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 17:49
S49	66	sharp and (waveform adj shap\$5) and sampling and (control or adjust\$3) near pulse	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/13 17:50
S50	1	("7319719").PN.	US-PGRUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/12/14 14:20

S51	513665	"455"/\$.ccls. or "713"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "374"/\$.ccls. or "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 09:16
S52	31	S51 and ((fix\$3 or constant) near (pulse or signal or waveform) near (width or period)) and sampl\$5 and ((adjust\$4 or control\$3) near (pulse or waveform) near (width or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 09:18
S53	5	((("1248372") or ("6724326") or ("6750675"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/12/15 09:30
S54	925	("455"/\$.ccls. or "713"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "374"/\$.ccls. or "348"/\$.ccls.) and (fix\$3 or constant\$3) near (pulse) near (width or interval or period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 09:35
S55	36	("455"/\$.ccls. or "713"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "374"/\$.ccls. or "348"/\$.ccls.) and (fix\$3 or constant\$3) near (pulse) near (width or interval or period) and (shap\$5) and ((adjust\$3 or control\$3) near (pulse\$3 adj2 width))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 09:38
S56	925	("455"/\$.ccls. or "713"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "374"/\$.ccls. or "348"/\$.ccls.) and (fix\$3 or constant\$3) near (pulse) near (width or interval or period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 09:44
S57	548	("455"/\$.ccls. or "713"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "374"/\$.ccls. or "348"/\$.ccls.) and (fix\$3 or constant\$3) adj1 (pulse) adj1 (width or interval or period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 09:44
S58	52	("455"/\$.ccls. or "713"/\$.ccls. or "326"/\$.ccls. or "327"/\$.ccls. or "374"/\$.ccls. or "348"/\$.ccls.) and (fix\$3 or constant\$3) adj1 (pulse) adj1 (width or interval or period) and (pulse adj shap\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 09:44
S59	3029	sampling same ((pulse or waveform) near shap\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 09:57
S60	56	sampling same ((pulse or waveform) near shap\$5) and (adjust\$3 or control\$3) near (pulse adj (width or period or interval))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 09:58
S61	3833	(sampling or A/D) same ((waveform or puls\$3)adj shap\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 10:04

S62	5	(sampling or A/D) same ((waveform or pulse\$3)adj shap\$5) same (control\$3 or adjust\$3) near width	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 10:05
S63	476	(sampling or A/D) same (control\$3 or adjust\$3) near width	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 10:05
S64	310	(sampling or A/D) same (control\$3 or adjust\$3) near width and @ad<="20030409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 10:06
S65	850	infrared and ((adjust\$3 or control \$3) near (pulse or waveform) near (width or period or interval))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 10:22
S66	48	infrared and ((adjust\$3 or control \$3) near (pulse or waveform) near (width or period or interval)) and (fix\$2 or constant\$2) adj1 (pulse) adj1 width	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 10:24
S67	1	("6198766").PN.	US-PGRUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/12/15 10:32
S68	7	("5216238" "5691665" "5844942" "6034802" "6038049").PN. OR ("6198766").URPN.	US-PGRUB; USPAT; USOCR	OR	ON	2008/12/15 10:40
S69	889	sampling with ((pulse or waveform) adj shap\$5)	US-PGRUB; USPAT; USOCR	OR	ON	2008/12/15 10:54
S70	543	sampling with ((pulse or waveform) adj shap\$5) and @ad<="20030409"	US-PGRUB; USPAT; USOCR	OR	ON	2008/12/15 10:55
S71	0	sampling with ((pulse or waveform) adj shap\$5)same ((fix \$2 or constant) adj pulse adj (period or width or interval)) and @ad<="20030409"	US-PGRUB; USPAT; USOCR	OR	ON	2008/12/15 11:01
S72	5	sampling with ((pulse or waveform) adj shap\$5)and ((fix\$2 or constant) adj pulse adj (period or width or interval)) and @ad<="20030409"	US-PGRUB; USPAT; USOCR	OR	ON	2008/12/15 11:02
S73	3233	(fix\$3 or constant\$3) adj pulse adj (width or period or interval)	US-PGRUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/15 11:28
S74	138	((fix\$3 or constant\$3) adj pulse adj (width or period or interval)) same ((adjust\$3 or control\$3) near (width\$3))	US-PGRUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/15 11:28

S75	400	(PWM or (pulse adj width adj modulat\$5)) same ((fix\$2 or constant) adj pulse adj (width or period or interval))	US-PGRUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/15 11:29
S76	256	(PWM or (pulse adj width adj modulat\$5)) same ((fix\$2 or constant) adj pulse adj (width or period or interval)) and @ad<="20030409"	US-PGRUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/15 11:30
S77	57	(fix\$3 adj pulse adj width) near modulat\$5	US-PGRUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/15 11:32
S78	25	(pulse adj width adj modulat\$5).ti. and (fix\$3 adj pulse adj width)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 14:35
S79	135	(pulse adj width adj modulat\$5) same (fix\$3 adj pulse adj width)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 14:36
S80	440	(pulse adj width adj modulat\$5 or PWM) same ((fix\$3 or constant\$3) adj pulse adj width)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:02
S81	340	(pulse adj (width or position) adj modulat\$5 or PWM) same ((fix\$3 or constant\$3) adj pulse adj width) and @ad<="20040409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:03
S82	294	(pulse adj (width or position) adj modulat\$5 or PWM) same ((fix\$3 or constant\$3) adj pulse adj width) and @ad<="20030409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:03
S83	42767738	(pulse adj (width or position) adj modulat\$5 or PWM) same ((fix\$3 or constant\$3) adj pulse adj width) and (pulse adj shap\$5) and @ad<="20030409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:05
S84	24	(pulse adj (width or position) adj modulat\$5 or PWM) same ((fix\$3 or constant\$3) adj pulse adj width) and (pulse adj shap\$5) and @ad<="20030409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:05
S85	1	("20040189502").FN.	US-PGRUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/12/15 15:14
S88	2	(adapt\$5 near (pulse adj (shap \$5))) and (fix\$3 adj pulse adj width)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:34

S89	113	((pulse adj (shap\$5))) and (fix\$3 adj pulse adj width)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:34
S90	8908	((pulse adj (shap\$5))) and (pulse adj width)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:41
S91	5765	((pulse adj (shap\$5))) and (pulse adj width) and @ad<="20030409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:41
S92	2830	((pulse adj (shap\$5))) and (pulse adj width) and modulat\$5 and @ad<="20030409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:41
S93	1214	((pulse adj (shap\$5))) and (pulse adj width) and modulat\$5 and sampl\$5 and @ad<="20030409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:41
S94	27	((pulse adj (shap\$5))) and (pulse adj width) and modulat\$5 and sampl\$5 and (fix\$3 near period) and @ad<="20030409"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:41
S95	102	sharp and (fix\$3 adj pulse adj width)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:47
S96	4491	(fix\$3 or constant) near pulse adj width	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:01
S97	269	(fix\$3 or constant) near pulse adj width and infrared	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:01
S98	637	diamond and (pulse adj shap\$5)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:53
S99	160	diamond and (pulse adj shap\$5) and (sampling)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:54
S102	18	(pulse adj shap\$5) with sampl\$5 with trail\$3	US-PGRUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/15 17:24

S103	11	((adjust\$3 near (pulse adj (width or interval or position))) same ((predetermin\$5 or predefin\$3 or minimum) adj width))	USPAT	OR	ON	2008/12/17 13:07
S104	38	((adjust\$3 or control\$3) near (pulse adj (width or interval or position))) same ((predetermin\$5 or predefin\$3 or minimum) adj width))	USPAT	OR	ON	2008/12/17 13:07
S105	51	((adjust\$3 or control\$3 or short\$5 or length\$3) near (pulse adj (width or interval or position))) same ((predetermin\$5 or predefin\$3 or minimum) adj width))	USPAT	OR	ON	2008/12/17 13:07
S107	13210	((adjust\$3 or control\$3 or short\$5 or length\$3) near (pulse adj (width or interval or position)))	USPAT	OR	ON	2008/12/17 13:34
S108	267	((adjust\$3 or control\$3 or short\$5 or length\$3) near (pulse adj (width or interval or position))) and (fix\$3 near pulse near width)	USPAT	OR	ON	2008/12/17 13:34
S109	3	("20020163851" "20030071668" "6285722").PN. OR ("7417905").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/17 13:37
S124	28084	((adjust\$3 or control\$3 or short\$5 or length\$3) near (pulse adj (width or interval or position)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:38
S126	7745	((adjust\$3 or control\$3 or short\$5 or length\$3) near (pulse adj (width or interval or position))) same (pulse adj (width or position or symbol) adj modulat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:39
S127	297	((adjust\$3 or control\$3 or short\$5 or length\$3) near (pulse adj (width or interval or position))) same (pulse adj (width or position or symbol) adj modulat\$5) same (saml\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:40
S128	184	((adjust\$3 or control\$3 or short\$5 or length\$3) near (pulse adj (width or interval or position))) same (pulse adj (width or position or symbol) adj modulat\$5) same (saml\$5) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:41
S129	997	((adjust\$3 or control\$3 or short\$5 or length\$3) with (pulse adj (width or interval or position))) same (pulse adj (width or position or symbol) adj modulat\$5) same (saml\$5) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:48

SI30	5	((adjust\$3 or control\$3 or short\$5 or length\$3) with (pulse adj (width or interval or position))) same (pulse adj (width or position or symbol) adj modulat\$5) same (saml\$5) same ((pulse or waveform) adj (shap\$5)) and @ad<="20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:49
SI31	78	(pulse adj 1 shap\$5) with (predetermin\$3) with range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 16:39
SI32	2	"US 20060274872"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/07/14 16:40
SI33	7	("5216238" "5691665" "5844942" "6034802" "6038049").PN. OR ("6198766"). URP.N.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/14 17:05
SI34	1	(saml\$4) same (pulse adj shap \$5) same (predetermin\$3 adj (width or duration or range)) same original	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:07
SI35	21	(saml\$4) same (pulse adj shap \$5) same (predetermin\$3 adj (width or duration or range))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:08
SI36	253	(pulse adj shap\$5) same (predetermin\$3 adj (width or duration or range))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:10
SI37	118	(pulse adj shap\$5) same (predetermin\$3 adj (width or duration or range)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:10
SI38	1	(pulse adj 1 shap\$5).ti. and (predetermin\$3 adj (width or duration or range)) with (original or transmit\$4) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:20
SI39	15	(pulse adj 1 shap\$5).ti. and (predetermin\$3 adj (width or duration or range)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:21

C:\Documents and Settings\dpatel3\My Documents\EAST\Workspaces\10552454-a1.wsp